



Engine Driven Systems

PRO Series • Contractor Series • Viper Series • Utility Series



PRO 35 ▶



CONTRACTOR ▶



VIPER ▶
GAS



VIPER ▶
DIESEL



UTILITY ▶
SERIES

Engine Driven Systems

Rugged, Heavy-Duty, and Reliable

Vanair's line of engine driven systems delivers rugged, heavy duty, and reliable solutions to meet our customers' air compressor needs. Offering 18-80 CFM of air, with up to 175 PSI, Vanair's engine driven systems are built to meet the challenges of robust applications, such as pavement breaking, boring, monument engraving, and general air tools. Available with gasoline or diesel engines, and rotary screw or reciprocating air ends, these systems are made to provide the utmost in portability and fuel savings. Whatever your challenge, Vanair's engine driven systems have a Mobile Power Solution™ to meet your needs.



PRO 35

 **Reciprocating Air Compressor**

Ideal for: mechanics trucks and general contractors

Capacity (CFM)	Maximum Rated Air (PSI)	Air Storage Capacity	Engine Type
35	175	30 gal. or skid	GX390 Honda® Kohler® CH440 Electric Start*

Unit Dimensions (In.):
45L x 19W x 23H Skid
45L x 19W x 43H 30 gal.
Dry Weight (Lbs.): 345-460 Depending on Platform

*Battery not included.

CONTRACTOR

  **Reciprocating Air Compressor & Generator**

Ideal for: general contractors, roadside repair, service vehicles and lube/fuel trailers



Engine	14 HP Kohler® or 19 HP Kohler®	Air Storage Capacity	10 gal., 30 gal., or Skid	
Compressor Type	Reciprocating	Drive System	Dual V-Belt	
Generator Wattage	4.2 kW Continuous 120V/240V	Fuel Capacity (gal.)	Kohler® 14	1.9
Maximum Rated PSI	150 PSI		Kohler® 19	4.5 or 11
CFM Rating	20 CFM			

Unit Dimensions (In.):
51L x 21W x 28H - 10 gal. Kohler® 14 HP
51L x 20W x 38H - 30 gal. Kohler® 14 HP
51L x 19W x 22H - Skid Mount Kohler® 14 HP
49L x 22W x 41H - 30 gal. Kohler® 19 HP
48L x 20W x 25H - Skid Mount Kohler® 19 HP
Dry Weight (Lbs.): 425-550 Depending on Platform

Viper™ Series

VIPER GAS



Rotary Screw Air Compressor

Ideal for: piercing tools, irrigation line maintenance, monument engraving, and general contractors

Gas (available with generator)

Model	Capacity (CFM)	Air (PSI)	Engine (RPM)	Engine (HP)	Fuel Capacity
G60	60	150	3600	Kohler® 26.5	5 gal.
G70	70	100	3600	Kohler® 26.5	5 gal.
G80	80	100	3600	Kohler® 26.5	5 gal.

Unit Dimensions with Fittings (In.):
45L x 23.5W x 29.75H
Dry Weight (Lbs.): 473



VIPER DIESEL



Rotary Screw Air Compressor

Features on/off Smart Technology for fuel savings and noise reduction

Diesel

Model	Capacity (CFM)	Air (PSI)	Engine (RPM)	Engine (HP)	Fuel Capacity
D60	60	150	3600	24.8	9 gal.
D70	70	125 (100 PSI at altitudes of 3500+ ft.)	3600	24.8	9 gal.
D80	80 (48 CFM at Idle)	100	3600	24.8	9 gal.

Unit Dimensions (In.):
48L x 21W x 33H
Dry Weight (Lbs.): 735



Powerful enough to run a 90 lb. jack hammer!

VIPER

TRAILER

Portable air power at half the cost of a 185 tow behind.



Fits Gas and Diesel Models	Torsional Axles
Certified DOT Trailer	Features an Integral Jack
Designed Exclusively for Viper Models	Standard Ball Hitch



Also Available with Wheeled Cart!



Utility Series Utility Mount Air Compressors



V185-UT ▶



Utility Mount Air Compressor

Ideal for: paint striping, rail, sewer repair, and general construction

Rated Delivery (CFM)	185 CFM	Width (In.)	35
Rated Operating Pressure (PSI)	100 PSI	Height (In.)	55.39
Fuel Capacity (gal.)	25	Weight (Lbs.)	2340
Length (in.)	80		



V210-UT ▶



Utility Mount Air Compressor

Ideal for: paint striping, rail, sewer repair, and general construction

Rated Delivery (CFM)	210 CFM	Width (In.)	35
Rated Operating Pressure (PSI)	100/150 PSI	Height (In.)	57.31
Fuel Capacity (gal.)	25	Weight (Lbs.)	2550
Length (in.)	80		

V260-UT ▶



Utility Mount Air Compressor

Ideal for: paint striping, rail, sewer repair, and general construction

Rated Delivery (CFM)	260 CFM	Width (In.)	35
Rated Operating Pressure (PSI)	100 PSFuel	Height (In.)	55.39
Capacity (gal.)	35	Weight (Lbs.)	3070
Length (in.)	83		



800.526.8817 | vanair.com



| *Vanair's* **There**